


RegML 2016
Class 7
Dictionary learning

Lorenzo Rosasco
UNIGE-MIT-IIT

June 30, 2016

Data representation

A mapping of data in new **format** better suited for further processing



Data representation (cont.)

\mathcal{X} data-space, a **data representation** is a map

$$\Phi : \mathcal{X} \rightarrow \mathcal{F},$$

to a **representation space** \mathcal{F} .

Different names in different fields:

- ▶ **machine learning**: feature map
- ▶ **signal processing**: analysis operator/transform
- ▶ **information theory**: encoder
- ▶ **computational geometry**: embedding

Supervised or Unsupervised?

Supervised (labelled/annotated) data are *expensive!*

Ideally a good data representation should reduce the need of (human) annotation...

↪ **Unsupervised** learning of Φ

Unsupervised representation learning

Samples

$$S = \{x_1, \dots, x_n\}$$

from a distribution ρ on the input space \mathcal{X} are available.

What are the **principles** to learn "good" representation in an unsupervised fashion?

Unsupervised representation learning principles

Two main concepts

1. **Reconstruction**, there exists a map $\Psi : \mathcal{F} \rightarrow \mathcal{X}$ such that

$$\Psi \circ \Phi(x) \sim x, \quad \forall x \in \mathcal{X}$$

2. **Similarity preservation**, it holds

$$\Phi(x) \sim \Phi(x') \Leftrightarrow x \sim x', \quad \forall x \in \mathcal{X}$$

Most unsupervised work has focused on reconstruction rather than on similarity

--> We give an overview next

Reconstruction based data representation

Basic idea: the quality of a representation Φ is measured by the **reconstruction error** provided by an associated reconstruction Ψ

$$\|x - \Psi \circ \Phi(x)\| ,$$

Empirical data and population

Given $S = \{x_1, \dots, x_n\}$ minimize the **empirical reconstruction error**

$$\widehat{\mathcal{E}}(\Phi, \Psi) = \frac{1}{n} \sum_{i=1}^n \|x_i - \Psi \circ \Phi(x_i)\|^2,$$

as a proxy to the **expected reconstruction error**

$$\mathcal{E}(\Phi, \Psi) = \int d\rho(x) \|x - \Psi \circ \Phi(x)\|^2,$$

where ρ is the data distribution (fixed but unknown).

Empirical data and population

$$\min_{\Phi, \Psi} \mathcal{E}(\Phi, \Psi), \quad \mathcal{E}(\Phi, \Psi) = \int d\rho(x) \|x - \Psi \circ \Phi(x)\|^2,$$

Caveat...

But reconstruction alone is **not enough**...

copying data, i.e. $\Psi \circ \Phi = I$, gives zero reconstruction error!

Dictionary learning

$$\|x - \Psi \circ \Phi(x)\|$$

Let $\mathcal{X} = \mathbb{R}^d$, $\mathcal{F} = \mathbb{R}^p$

1. linear reconstruction

$$\Psi \in \mathcal{D},$$

with \mathcal{D} a subset of the space of linear maps from \mathcal{X} to \mathcal{F} .

2. nearest neighbor representation,

$$\Phi(x) = \Phi_{\Psi}(x) = \arg \min_{\beta \in \mathcal{F}_{\lambda}} \|x - \Psi\beta\|^2, \quad \Psi \in \mathcal{D},$$

where \mathcal{F}_{λ} is a subset of \mathcal{F} .

Linear reconstruction and dictionaries

Each reconstruction $\Psi \in \mathcal{D}$ can be identified a **dictionary** matrix with columns

$$a_1, \dots, a_p \in \mathbb{R}^d.$$

The reconstruction of an input $x \in \mathcal{X}$ corresponds to a suitable **linear expansion** on the dictionary

$$x = \sum_{j=1}^p a_j \beta_j, \quad \beta_1, \dots, \beta_p \in \mathbb{R}.$$

Nearest neighbor representation

$$\Phi(x) = \Phi_{\Psi}(x) = \arg \min_{\beta \in \mathcal{F}_{\lambda}} \|x - \Psi\beta\|^2, \quad \Psi \in \mathcal{D},$$

The above representation is called **nearest neighbor (NN)** since, for

$$\Psi \in \mathcal{D}, \quad \mathcal{X}_{\lambda} = \Psi\mathcal{F}_{\lambda},$$

the representation $\Phi(x)$ provides the **closest** point to x in \mathcal{X}_{λ} ,

$$d(x, \mathcal{X}_{\lambda}) = \min_{x' \in \mathcal{X}_{\lambda}} \|x - x'\|^2 = \min_{\beta \in \mathcal{F}_{\lambda}} \|x - \Psi\beta\|^2.$$

Nearest neighbor representation (cont.)

NN representation are defined by a **constrained inverse problem**,

$$\min_{\beta \in \mathcal{F}_\lambda} \|x - \Psi\beta\|^2.$$

Alternatively let $\mathcal{F}_\lambda = \mathcal{F}$ and adding a regularization term $R_\lambda : \mathcal{F} \rightarrow \mathbb{R}$

$$\min_{\beta \in \mathcal{F}} \left\{ \|x - \Psi\beta\|^2 + R_\lambda(\beta) \right\}.$$

Dictionary learning

Then

$$\min_{\Psi, \Phi} \frac{1}{n} \sum_{i=1}^n \|x_i - \Psi \circ \Phi(x_i)\|^2$$

becomes

$$\underbrace{\min_{\Psi \in \mathcal{D}}}_{\text{Dictionary learning}} \frac{1}{n} \sum_{i=1}^n \underbrace{\min_{\beta_i \in \mathcal{F}_\lambda} \|x_i - \Psi \beta_i\|^2}_{\text{Representation learning}}.$$

Dictionary learning

- ▶ learning a **regularized representation** on a dictionary. . .
- ▶ **while** simultaneously **learning the dictionary** itself.

Examples

The framework introduced above encompasses a large number of approaches.

- ▶ PCA (& kernel PCA)
- ▶ KSVD
- ▶ Sparse coding
- ▶ K-means
- ▶ K-flats
- ▶ ...

Example 1: Principal Component Analysis (PCA)

Let $\mathcal{F}_\lambda = \mathcal{F}_k = \mathbb{R}^k$, $k \leq \min\{n, d\}$, and

$$\mathcal{D} = \{\Psi : \mathcal{F} \rightarrow \mathcal{X}, \text{ linear} \mid \Psi^* \Psi = I\}.$$


- ▶ Ψ is a $d \times k$ matrix with **orthogonal, unit norm** columns,

$$\Psi \beta = \sum_{j=1}^k a_j \beta_j, \quad \beta \in \mathcal{F}$$

- ▶ $\Psi^* : \mathcal{X} \rightarrow \mathcal{F}$, $\Psi^* x = (\langle a_1, x \rangle, \dots, \langle a_k, x \rangle)$, $x \in \mathcal{X}$

PCA & best subspace

- ▶ $\Psi\Psi^* : \mathcal{X} \rightarrow \mathcal{X}$, $\Psi\Psi^*x = \sum_{j=1}^k a_j \langle a_j, x \rangle$, $x \in \mathcal{X}$.



- ▶ $P = \Psi\Psi^*$ is the **projection** ($P = P^2$) on the subspace of \mathbb{R}^d spanned by a_1, \dots, a_k .

Rewriting PCA

Note that,

$$\Phi(x) = \Psi^* x = \arg \min_{\beta \in \mathcal{F}_k} \|x - \Psi\beta\|^2, \quad \forall x \in \mathcal{X},$$

so that we can rewrite the PCA minimization as

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \|x - \Psi\Psi^* x_i\|^2.$$

Subspace learning

The problem of finding a k -dimensional orthogonal projection giving the best reconstruction.

PCA computation


Let \hat{X} the $n \times d$ data matrix and $C = \frac{1}{n} \hat{X}^T \hat{X}$.

... PCA optimization problem is solved by the eigenvector of C associated to the K largest eigenvalues.

Learning a linear representation with PCA


Subspace learning

The problem of finding a k -dimensional orthogonal projection giving the best reconstruction.




PCA assumes the support of the data distribution to be well approximated by a low dimensional *linear* subspace


PCA beyond linearity



PCA beyond linearity



PCA beyond linearity



Kernel PCA

Consider

$$\phi : \mathcal{X} \rightarrow \mathcal{H}, \quad \text{and} \quad K(x, x') = \langle \phi(x), \phi(x') \rangle_{\mathcal{H}}$$

a **feature map and associated (reproducing) kernel**.

We can consider the empirical **reconstruction in the feature space**,

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \min_{\beta_i \in \mathcal{H}} \|\phi(x_i) - \Psi \beta_i\|_{\mathcal{H}}^2.$$

Connection to manifold learning...

Examples 2: Sparse coding

One of the first and most famous dictionary learning techniques.

It corresponds to

- ▶ $\mathcal{F} = \mathbb{R}^p$,
- ▶ $p \geq d$, $\mathcal{F}_\lambda = \{\beta \in \mathcal{F} : \|\beta\|_1 \leq \lambda\}$, $\lambda > 0$,
- ▶ $\mathcal{D} = \{\Psi : \mathcal{F} \rightarrow \mathcal{X} \mid \|\Psi e_j\|_{\mathcal{F}} \leq 1\}$.

Hence,

$$\underbrace{\min_{\Psi \in \mathcal{D}}}_{\text{dictionary learning}} \frac{1}{n} \sum_{i=1}^n \underbrace{\min_{\beta_i \in \mathcal{F}_\lambda} \|x_i - \Psi \beta_i\|^2}_{\text{sparse representation}}$$

Sparse coding (cont.)

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \min_{\beta_i \in \mathbb{R}^p, \|\beta_i\| \leq \lambda} \|x_i - \Psi \beta_i\|^2$$

- ▶ The problem is **not convex**. . . but it is **separately convex** in the β_i 's and Ψ .
- ▶ An alternating minimization is fairly natural (other approaches possible—see e.g. [Schnass '15, Elad et al. '06])

Representation computation

Given a dictionary, the problems

$$\min_{\beta \in \mathcal{F}_\lambda} \|x_i - \Psi\beta\|^2, i = 1, \dots, n$$

are convex and correspond to a **sparse representation** problems.

They can be solved using **convex optimization** techniques.

Splitting/proximal methods

$$\beta_0, \quad \beta_{t+1} = T_{\gamma,\lambda}(\beta_t - \gamma\Psi^*(x_i - \Psi\beta_t)), \quad t = 0, \dots, T_{\max}$$

with T_λ the soft-thresholding operator,

Dictionary computation

Given $\Phi(x_i) = \beta_i$, $i = 1, \dots, n$, we have

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \|x_i - \Psi \circ \Phi(x_i)\|^2 = \min_{\Psi \in \mathcal{D}} \frac{1}{n} \left\| \widehat{X} - B^* \Psi \right\|_F^2,$$

where B is the $n \times p$ matrix with rows β_i , $i = 1, \dots, n$ and we denoted by $\|\cdot\|_F$, the Frobenius norm.

It is a convex problem, solvable via standard techniques.


Splitting/proximal methods

$$\Psi_0, \quad \Psi_{t+1} = P(\Psi_t - \gamma_t B^*(X - \Psi_t B)), \quad t = 0, \dots, T_{\max}$$

where P is the projection corresponding to the constraints,

$$\begin{aligned} P(\Psi^j) &= \Psi^j / \|\Psi^j\|, & \text{if } \|\Psi^j\| > 1 \\ P(\Psi^j) &= \Psi^j, & \text{if } \|\Psi^j\| \leq 1. \end{aligned}$$

Sparse coding model



- ▶ Sparse coding assumes the support of the data distribution to be a union of $\binom{p}{s}$ subspaces, i.e. all possible s dimensional subspaces in \mathbb{R}^p , where s is the sparsity level.
- ▶ More general penalties, more general geometric assumptions.

Example 3: K-means & vector quantization

K-means is typically seen as a **clustering** algorithm in machine learning... but it is also a classical **vector quantization** approach.

Here we revisit this point of view from a **data representation** perspective.

K-means corresponds to

- ▶ $\mathcal{F}_\lambda = \mathcal{F}_k = \{e_1, \dots, e_k\}$, the canonical basis in \mathbb{R}^k , $k \leq n$
- ▶ $\mathcal{D} = \{\Psi : \mathcal{F} \rightarrow \mathcal{X} \mid \text{linear}\}$.

K-means computation

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \min_{\beta_i \in \{e_1, \dots, e_k\}} \|x_i - \Psi \beta_i\|^2$$

The K-means problem is not convex.

Alternating minimization

1. Initialize dictionary Ψ_0 .
2. Let $\Phi(x_i) = \beta_i$, $i = 1, \dots, n$ be the solution of the problems


$$\min_{\beta \in \{e_1, \dots, e_k\}} \|x_i - \Psi \beta\|^2, \quad i = 1, \dots, n.$$

with $V_j = \{x \in S \mid \Phi(x) = e_j\}$, (multiple points have same representation since $k \leq n$).

3. Letting $a_j = \Psi e_j$, we can write

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \|x_i - \Psi \circ \Phi(x_i)\|^2 = \min_{a_1, \dots, a_k \in R^d} \frac{1}{n} \sum_{j=1}^k \sum_{x \in V_j} \|x - a_j\|^2.$$

Step 2: assignment



The discrete problem

$$\min_{\beta \in \{e_1, \dots, e_k\}} \|x_i - \Psi\beta\|^2, \quad i = 1, \dots, n.$$

can be seen as an **assignment** step.

Clusters

The sets

$$V_j = \{x \in S \mid \Phi(x) = e_j\},$$

are called **Voronoi** sets and can be seen as data **clusters**.

Step 3: centroid computation

Consider

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \|x_i - \Psi \circ \Phi(x_i)\|^2 = \min_{a_1, \dots, a_k \in \mathbb{R}^d} \frac{1}{n} \sum_{j=1}^k \sum_{x \in V_j} \|x - a_j\|^2,$$

where $a_j = \Psi e_j$.

The minimization with respect to each column is **independent** to all others.

Centroid computation

$$c_j = \frac{1}{|V_j|} \sum_{x \in V_j} x = \arg \min_{a_j \in \mathbb{R}^d} \sum_{x \in V_j} \|x - a_j\|^2, \quad j = 1, \dots, k.$$

K-means convergence

The computational procedure described before is known as **Lloyd's algorithm**.

- ▶ Since it is an **alternating minimization** approach, the value of the objective function can be shown to **decrease** with the iterations.
- ▶ Since there is only a **finite** number of possible partitions of the data in k clusters, Lloyd's algorithm is ensured to **converge to a local minimum** in a finite number of steps.


K-means initialization

Convergence to a **global** minimum can be ensured (with high probability), provided a suitable initialization.

K-means++ [Arthur, Vassilvitskii;07]

1. Choose a centroid uniformly at random from the data,
2. Compute distances of data to the nearest centroid already chosen.
3. Choose a new centroid from the data using probabilities proportional to such distances (squared).
4. Repeat steps 2 and 3 until k centers have been chosen.


K-means & piece-wise representation



- ▶ k-means representation: **extreme sparse representation**, only one non zero coefficient (**vector quantization**).
- ▶ k-means reconstruction: **piecewise constant** approximation of the data, each point is reconstructed by the nearest mean.

This latter perspective suggests extensions of k-means considering **higher order** data approximation such as, e.g. piecewise linear.


K-flats & piece-wise linear representation



[Bradley, Mangasarian '00, Canas, R.'12]

- ▶ k-flats representation: **structured sparse representation**, coefficients are projection on a *flat*.
- ▶ k-flats reconstruction: **piecewise linear** approximation of the data, each point is reconstructed by projection on the nearest flat.

Remarks on K-flats



- ▶ Principled way to **enrich** k-means representation (cfr *softmax*).
- ▶ **Geometric structured** dictionary learning.
- ▶ **Non-local** approximations.

K-flats computations

Alternating minimization

1. **Initialize** flats Ψ_1, \dots, Ψ_k .
2. **Assign** point to nearest flat,

$$V_j = \{x \in \mathcal{X} \mid \|x - \Psi_j \Psi_j^* x\| \leq \|x - \Psi_t \Psi_t^* x\|, \quad t \neq j\}.$$

3. **Update** flats by computing (local) PCA in each cell $V_j, j = 1, \dots, k$.

Kernel K-means & K-flats

It is easy to extend K-means & K-flats using **kernels**.

$$\phi : \mathcal{X} \rightarrow \mathcal{H}, \quad \text{and} \quad K(x, x') = \langle \phi(x), \phi(x') \rangle_{\mathcal{H}}$$

Consider the empirical reconstruction problem in the feature space,

$$\min_{\Psi \in \mathcal{D}} \frac{1}{n} \sum_{i=1}^n \min_{\beta_i \in \{e_1, \dots, e_k\} \subset \mathcal{H}} \|\phi(x_i) - \Psi \beta_i\|_{\mathcal{H}}^2.$$

Note: Easy to see that computation can be performed in closed form



- ▶ Kernel k-means: **distance computation**.
- ▶ Kernel k-flats: **distance computation+local KPCA**.

Geometric Wavelets (GW)- Reconstruction Trees

- ▶ **Select** (rather than compute) a partition of the data-space
- ▶ Approximate the point in each cell via a vector/plane.


multi-scale

Selection via **multi-scale/coarse-to-fine** pruning of a partition tree
[Maggioni et al...]



K-means/flats and GW

- ▶ Can be seen as piecewise representations.
- ▶ The data model is a manifold– limit when the number of pieces goes to infinity
- ▶ GMRA is **local** (cells are connected) while K-Flats is not. . .
- ▶ . . . but GMRA is **multi-scale** while K-flats is not. . .



Dictionary learning & matrix factorization

PCA, Sparse Coding, K-means/flats, Reconstruction trees are some examples of methods based on

$$(P1) \quad \underbrace{\min_{\Psi \in \mathcal{D}}}_{\text{Dictionary learning}} \frac{1}{n} \sum_{i=1}^n \underbrace{\min_{\beta_i \in \mathcal{F}_\lambda} \|x_i - \Psi \beta_i\|^2}_{\text{Representation learning}}.$$

In fact, under mild conditions the above problem is a special case of **Matrix Factorization**:

If the minimizations of the β_i 's are independent, then

$$(P1) \Leftrightarrow \min_{B, \Psi} \left\| \widehat{X} - \Psi B \right\|_F^2$$

where B has columns $(\beta_i)_i$, \widehat{X} data matrix, and $\|\cdot\|_F$ is the Frobenius norm.

The equivalence holds for all the methods we saw before!

From reconstruction to similarity

We have seen two concepts emerging

- ▶ **parsimonious reconstruction**
- ▶ **similarity preservation**

What about similarity preservation?

Randomized linear representation

Consider **randomized** representation/reconstruction given by a set of random templates smaller than data dimension, that is

$$a_1, \dots, a_k, \quad k < d.$$

Consider $\Phi : \mathcal{X} \rightarrow \mathcal{F} = \mathbb{R}^k$ such that

$$\Phi(x) = Ax = (\langle x, a_1 \rangle, \dots, \langle x, a_k \rangle), \quad \forall x \in \mathcal{X},$$

with A random i.i.d. matrix, with rows a_1, \dots, a_k

Johnson-Lindenstrauss Lemma

The representation $\Phi(x) = Ax$ defines a **stable embedding**, i.e.

$$(1 - \epsilon) \|x - x'\| \leq \|\Phi(x) - \Phi(x')\| \leq (1 + \epsilon) \|x - x'\|$$

with high probability and for all $x, x' \in \mathcal{C} \subset \mathcal{X}$.

The precision ϵ depends on : 1) number of random atoms k , 2) the set \mathcal{C}

Example:

If \mathcal{C} is a finite set $|\mathcal{C}| = n$, then

$$\epsilon \sim \sqrt{\frac{\log n}{k}}.$$

Metric learning

Metric learning

Find $D : \mathcal{X} \times \mathcal{X} \rightarrow \mathbb{R}$ such that

$$x \text{ similar } x' \Leftrightarrow D(x, x')$$

1. **How to parameterize D ?**
2. **How we know whether data points are similar?**
3. **How do we turn all into an optimization problem?**

Metric learning (cont.)

1. How to parameterize D ?

$$\text{Mahalanobis } D(x, x') = \langle x - x', M(x - x') \rangle$$

where M symmetric PD, or rather $\Phi(x) = Bx$ with $M = B^*B$ (using kernels possible).

2. How to know whether points are similar?

Most works assume **supervised** data

$$(x_i, x_j, y_{i,j})_{i,j}.$$

3. How to turn all into an optimization problem?

Extension of classification algorithms such as **support vector machines**.

This class

- ▶ dictionary learning
- ▶ metric learning

Next class

Deep learning!